


Lining scheme



Length of the lines

Nucleon – 23 WRC

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	e	br
1	941	937	946	807	813	1426
2	879	874	884	748	755	1239
3	893	889	898	761	770	1149
4	925	920	930	791	796	1200
5	901	895	906	783		1103
6	855	849	860	726		1121
7	837	826	838	2598		762
8	857	849	860	704		631
9	682	666	672	724		710
10	612	597	578	687		689
11	632	603	609	599		1007
12	606	584	545	613		851
13	568	517	654	580		776
14	468	441	593	732		727
15	548	591	471	669		658
16				492		655

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	e	br
1	6426	6391	6479	6633	6740	7764
2	6364	6328	6417	6574	6682	7578
3	6348	6311	6400	6557	6665	7488
4	6379	6341	6432	6587	6692	7390
5	6349	6312	6403	6582		7293
6	6302	6266	6357	6525		7311
7	6288	6253	6344	6477		7160
8	6309	6276	6367	6495		7029
9	6257	6211	6342	6516		6944
10	6186	6141	6247	6421		6923
11	6128	6088	6156	6333		6830
12	6102	6069	6092	6265		6674
13	5957	5937	6030	6232		6599
14	5857	5862	5969	6109		6484
15	5830	5873	5849	6045		6415
16				5870		6362

	AD	BD	CD	DD	ED	BRT
1	1406	1400	1413	1679	1780	1618
2	1375	1368	1383	1649	1749	1469
3	1480	1465	1484	1935		806
4	1484	1475	1493	1927		642
5	1290	1245	1760	1274		715
6	1211	1185	1638	1191		399
7	1254	1285	1467			250
8	1142	5158				

	AP	BP	CP	DP	BRD
1	4114	4089	4145	4172	2441
2	4002	3987	4039	3889	3313
3	4320	4335	3934	4486	2779
4		4160			
5		245			

BRP	2180	ALC+	5189
	2330		

Technora 7343-090-005:



Technora 7343-140-006:



Technora 7343-190-024:



Technora 7343-280-011:



Technora 7343-280-018:



Technora 7343-420-041:



Dyneema 12550:

XXXX

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

Length of the lines

Nucleon – 25 WRC

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	e	br
1	981	976	986	841	847	1486
2	917	912	922	780	788	1292
3	931	926	936	793	802	1199
4	964	959	970	825	830	1250
5	940	933	944	816		1150
6	892	886	897	757		1169
7	872	861	873	2709		795
8	894	885	897	733		658
9	711	694	701	755		740
10	638	622	602	716		719
11	659	629	635	625		1049
12	632	609	569	640		888
13	592	539	682	605		809
14	488	460	619	764		757
15	571	616	491	697		686
16				513		683

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	e	br
1	6720	6682	6770	6926	7038	8095
2	6656	6618	6706	6865	6979	7902
3	6640	6601	6690	6849	6962	7808
4	6674	6634	6724	6880	6990	7706
5	6643	6604	6694	6876		7606
6	6595	6557	6647	6817		7625
7	6581	6544	6634	6768		7469
8	6603	6568	6658	6787		7333
9	6549	6501	6632	6809		7244
10	6475	6429	6534	6711		7223
11	6414	6374	6440	6619		7124
12	6388	6354	6373	6548		6963
13	6237	6216	6309	6514		6884
14	6133	6137	6245	6390		6765
15	6104	6149	6122	6324		6693
16				6144		6641

	AD	BD	CD	DD	ED	BRT
1	1465	1459	1473	1749	1855	1687
2	1435	1427	1443	1719	1824	1533
3	1543	1527	1546	2017		839
4	1548	1539	1558	2010		670
5	1345	1298	1835	1328		745
6	1263	1236	1708	1242		428
7	1307	1340	1530			250
8	1191	5411				

	AP	BP	CP	DP	BRD
1	4309	4282	4336	4361	2544
2	4196	4179	4229	4068	3456
3	4528	4544	4121	4692	2901
4		4362			
5		245			

BRP	2280	ALC+	5411
	2430		

Technora 7343-090-005:



Technora 7343-140-006:



Technora 7343-190-024:



Technora 7343-280-011:



Technora 7343-280-018:



Technora 7343-420-041:



Dyneema 12550:

XXXX

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

Length of the lines

Nucleon – 27 WRC

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	e	br
1	1019	1015	1024	874	880	1544
2	954	948	959	811	819	1344
3	967	962	972	824	833	1247
4	1002	997	1008	858	863	1299
5	976	969	981	848		1196
6	927	921	932	787		1215
7	906	895	907	2816		826
8	929	920	932	762		685
9	739	722	728	785		768
10	663	647	626	744		747
11	685	653	660	649		1091
12	657	633	591	665		923
13	616	560	709	629		842
14	507	478	643	793		787
15	594	640	511	725		713
16				533		711

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	e	br
1	7002	6962	7054	7218	7334	8413
2	6937	6896	6988	7155	7273	8212
3	6921	6879	6972	7139	7256	8116
4	6956	6914	7008	7172	7286	8011
5	6926	6884	6979	7168		7907
6	6876	6836	6930	7107		7927
7	6862	6823	6917	7056		7766
8	6885	6849	6943	7077		7624
9	6829	6780	6917	7100		7533
10	6753	6705	6814	6998		7512
11	6690	6648	6716	6903		7407
12	6662	6627	6647	6830		7240
13	6505	6484	6581	6794		7159
14	6397	6402	6515	6665		7035
15	6368	6414	6385	6597		6961
16				6408		6909

	AD	BD	CD	DD	ED	BRT
1	1521	1515	1529	1817	1927	1752
2	1492	1484	1500	1787	1896	1595
3	1603	1586	1607	2095		872
4	1609	1600	1619	2090		697
5	1397	1349	1907	1380		774
6	1313	1284	1775	1291		455
7	1359	1392	1591			250
8	1237	5654				

	AP	BP	CP	DP	BRD
1	4497	4468	4525	4552	2642
2	4381	4364	4416	4250	3593
3	4728	4745	4306	4899	3018
4		4556			
5		245			

BRP	2370	ALC+	5620
	2520		

Technora 7343-090-005:



Technora 7343-140-006:



Technora 7343-190-024:



Technora 7343-280-011:



Technora 7343-280-018:



Technora 7343-420-041:



Dyneema 12550:

XXXX

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

Length of the lines

Nucleon – 29 WRC

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	e	br
1	1056	1051	1062	905	912	1601
2	989	983	994	841	849	1393
3	1001	997	1007	854	863	1293
4	1039	1034	1045	889	895	1346
5	1012	1004	1017	879		1239
6	961	955	967	816		1260
7	939	927	940	2919		856
8	963	954	966	789		710
9	766	748	755	814		796
10	687	670	649	771		774
11	709	677	684	673		1130
12	681	656	613	689		957
13	638	581	735	651		873
14	526	496	666	822		815
15	616	663	529	751		739
16				552		737

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	e	br
1	7274	7232	7327	7498	7619	8720
2	7207	7164	7260	7434	7556	8512
3	7191	7148	7244	7418	7540	8412
4	7229	7185	7282	7453	7572	8304
5	7198	7155	7253	7450		8197
6	7147	7105	7203	7387		8218
7	7133	7093	7190	7335		8051
8	7157	7119	7217	7356		7905
9	7100	7049	7190	7381		7811
10	7021	6971	7084	7275		7789
11	6956	6912	6983	7177		7680
12	6927	6891	6912	7101		7507
13	6764	6742	6842	7063		7423
14	6652	6657	6774	6930		7296
15	6621	6669	6638	6859		7219
16				6662		7167

	AD	BD	CD	DD	ED	BRT
1	1576	1569	1584	1881	1995	1815
2	1548	1539	1556	1853	1965	1654
3	1661	1643	1665	2171		903
4	1668	1659	1679	2167		723
5	1448	1398	1976	1430		802
6	1360	1331	1840	1338		482
7	1408	1443	1649			250
8	1282	5889				

	AP	BP	CP	DP	BRD
1	4677	4647	4707	4737	2736
2	4560	4542	4597	4425	3725
3	4921	4939	4484	5099	3131
4		4743			
5		245			

BRP	2470	ALC+	5831
	2620		

Technora 7343-090-005:



Technora 7343-140-006:



Technora 7343-190-024:



Technora 7343-280-011:



Technora 7343-280-018:



Technora 7343-420-041:



Dyneema 12550:

XXXX

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

Length of the lines

Nucleon – 31 WRC

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	e	br
1	1092	1087	1097	936	943	1655
2	1023	1017	1028	870	879	1440
3	1035	1030	1040	882	892	1338
4	1074	1069	1080	919	926	1391
5	1046	1038	1051	908		1281
6	994	988	1000	844		1303
7	970	958	971	3019		885
8	996	986	999	816		735
9	792	773	781	841		823
10	711	693	671	797		801
11	734	700	707	696		1168
12	704	678	634	712		989
13	660	600	760	674		903
14	544	512	689	850		843
15	636	686	547	777		764
16				571		762

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	e	br
1	7537	7493	7592	7770	7894	9016
2	7468	7424	7523	7704	7830	8801
3	7453	7407	7507	7688	7813	8699
4	7492	7446	7547	7725	7847	8587
5	7461	7416	7518	7722		8477
6	7409	7365	7467	7658		8499
7	7394	7353	7454	7604		8327
8	7420	7381	7482	7626		8177
9	7361	7309	7455	7652		8080
10	7280	7229	7346	7543		8058
11	7212	7168	7241	7441		7944
12	7183	7146	7167	7362		7765
13	7015	6991	7096	7324		7679
14	6899	6903	7025	7186		7547
15	6866	6916	6883	7113		7468
16				6907		7417

	AD	BD	CD	DD	ED	BRT
1	1629	1622	1637	1944	2062	1877
2	1601	1593	1610	1916	2032	1711
3	1717	1699	1721	2244		933
4	1725	1716	1736	2241		748
5	1497	1445	2043	1479		829
6	1407	1377	1902	1384		508
7	1456	1492	1705			250
8	1326	6116				

	AP	BP	CP	DP	BRD
1	4852	4820	4882	4915	2828
2	4733	4714	4771	4595	3852
3	5107	5126	4656	5292	3240
4		4924			
5		245			

BRP	2560	ALC+	6030
	2710		

Technora 7343-090-005:



Technora 7343-140-006:



Technora 7343-190-024:



Technora 7343-280-011:



Technora 7343-280-018:



Technora 7343-420-041:



Dyneema 12550:

XXXX

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

Length of the lines

Nucleon – 34 WRC

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	e	br
1	1143	1138	1149	980	987	1733
2	1072	1066	1078	912	921	1509
3	1083	1078	1089	923	933	1402
4	1126	1120	1132	963	970	1456
5	1095	1087	1100	951		1342
6	1041	1035	1047	884		1366
7	1016	1003	1017	3163		927
8	1043	1033	1046	854		770
9	829	810	817	881		862
10	744	726	703	835		839
11	768	733	741	729		1224
12	738	710	664	746		1037
13	691	629	795	705		947
14	569	537	722	890		882
15	667	718	573	813		800
16				598		799

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	e	br
1	7916	7869	7973	8161	8291	9453
2	7845	7797	7901	8093	8225	9229
3	7829	7781	7886	8077	8208	9122
4	7872	7823	7929	8117	8244	9005
5	7840	7792	7900	8114		8891
6	7786	7740	7847	8047		8914
7	7771	7727	7834	7991		8735
8	7799	7757	7864	8015		8578
9	7737	7683	7836	8042		8477
10	7652	7599	7722	7928		8455
11	7582	7536	7612	7822		8324
12	7551	7513	7535	7740		8137
13	7375	7351	7460	7699		8047
14	7254	7259	7387	7555		7910
15	7220	7271	7236	7478		7827
16				7261		7786

	AD	BD	CD	DD	ED	BRT
1	1704	1697	1713	2036	2159	1965
2	1678	1669	1687	2009	2130	1794
3	1797	1778	1801	2349		977
4	1808	1797	1819	2347		784
5	1568	1513	2140	1549		868
6	1474	1442	1992	1449		545
7	1525	1562	1786			250
8	1388	6443				

	AP	BP	CP	DP	BRD
1	5103	5069	5135	5170	2959
2	4983	4962	5023	4839	4036
3	5375	5395	4904	5570	3397
4		5185			
5		245			

BRP	2680	ALC+	6307
	2830		

Technora 7343-090-005:



Technora 7343-140-006:



Technora 7343-190-024:



Technora 7343-280-011:



Technora 7343-280-018:



Technora 7343-420-041:



Dyneema 12550:

XXXX

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)